

In
Scraps

In Dysentery keep
skin lactate
Rem, the inflam.
condition injections
very good.

Mist-catchu comp, 3 $\frac{7}{17}$

Confect. Tromab. 3 $\frac{188}{100}$

Linct-Opri 3 88

Mist- Cret. 3 $\frac{1}{17}$

78

Teaspoonful after
each liquid stool

Began Feb 17
 March 3, Recd 6.00
 " 17 " 6.00
 Apr 7 " \$9.00

Says he still
 live at - Salame
 Preside -

Pain ^{over} hand big

Starch Skin
 acting

Combining small

Rubber Sub

Croup, Cough Med

would advise
bathing in this
case *Whiskey*

Dr. H. C. Dicus,
Utica,
Ohio.

Licking Co.

Witten 1/2 3-23

Kite 388 - 37

Ex. Rubi Pl. f 388

Rebin 2-3-92

Syn Sillan Km - 37

Sticht camp

Post chlo 377

Syn Limonis 377

Agnae 8 377

ender 2 377

over on ten 377

Ammonia carb, gr x1
Tinct-Scilla $\frac{1}{2}$ 3 $\frac{1}{2}$
Syr toluani $\frac{1}{2}$ 3 $\frac{1}{2}$
Decocti senega $\frac{1}{2}$ 3 $\frac{1}{2}$
table spoon
stim expect.

Tinct-Rhodoub
Syr ipec
Syr squills
Tinct-bal. tolu
Tinct-Opia Camp.
Equal parts
Dose $\frac{1}{2}$ teaspoon
When cough is
severe

Zinc sulph 92 $\frac{ij}{f}$

Land 3 $\frac{f}{j}$

Rose water 3 $\frac{ij}{f}$

Eye water

use two or three
times a day

Liniment -

Alcohol 1 qt -

Oil Oreganum 2 oz

Oil Wovenwood 1 oz

Gum Camphor 2 oz

Spirits turpentine 2 oz

Lin. c. cantharides 1 oz

M

Carbolized Vas

5 gr to ounce

Oleum

Emetic =

Linct. lobelia blood-
root equal parts

Dose 2 gr 1 teaspoon

every 10-15 min.

till vomiting if

6 yr 2 teaspoonfuls

In pelvic peri
drop doses Aconite
every quarter hr
Hot-poultices

Venice turpentine
1oz water half tea-
spoon stir with
stick till like
candied honey
Apply to felds if
open early.

Sissons Linf.

page 112 L26-
look very good
for swelling &
from bruises

Lodide Potass, 3 X
Fowlers sol, 3 iii
Syr Sarsap, co. 3 ij
Alg. ^g ~~g~~ Gaultth gr. ad, 3 iv
~~78~~

Sig. teaspoonful
three times a
day.

~~Bob & Eddy~~