

In dislocation we do
not get crepitus, loss of
function, nor such loss of
shape in fracture as
in dislocations.
If Clavicle may be upwards
or forwards make rigid
extensions of shoulder's back
wards, Burns, in front
and under the coracoid the
sub clav, rare the sub glen
oid & sub coracoid, history
of accident - and great
deformity much more
immovable and
can not get the hand
to other shoulder
also can tell by measur-
ing from acromion to
elbow, or pass a line
around over the shoulder
to find dif between the
two axillae much in-
creased on injured
side

After reduction bird
arm in flexed pos for
three week and caution
patient to be careful
for several months

Dis of elbow joint
may be backwards or
forwards and may be
some chipping of coracoid
proc, may be more prom-
inent that process, some
motion will be inter-
fered with olecranon
very much anor prom-
triceps & biceps in cond-
of spasm

Of hip On the dorsum
of the ilium & backwards
in to sciatic notch
into obturator foramen

Where is the wire ligament

two kinds of sensation
Hypoglossal motor a
divided nerve may reunite

When the leg is abducted
the head of femur is
easily thrown out of
socket. No creep, head belt
where it ought not to
be in crease &c
When out. pubis great
eversions even more than
that loss of function
rigidity might be sent
still further so head
would come under ant
sup. spine, When into
sciatic notch will find
on drawing the legs
up well flexed, When the
foot turns inwards rotate
a little inwards than out.
wards strongly, and strong
then or rather first in
the direction the knee points
Will be eversion and
lengthening in thyroid
dislocation

Phary

8th pair origin
can be traced to gray
matter called nucleus
divides into three branches
to teeth the inferior
max, contains motor
roots so you see resemble
the spinal nerves
lingual branch very
important presides
over the sense of taste
of fore part of tongue
function exceedingly sensitive, An inflam
of eyeball

Glossophary, origin
reaches what branches
at its origin purely
sensitive but outside
mixed mucous memb
of tongue contains

Dis of patella may be turned
out or inwards. If violence
enough to dis, the knee
joint in any way will
likely be some fracture
also, extension to quite
an extent

Tuberculosis does not often
begin in the lower part
of lungs & nitrogenized iron
I think will take the
place of lime, Dropsical
the blood becomes watery
the body is much drained
upward by the deposit
when one gets so far as to
have swollen feet do not
send away can only prolong

gripes. Ring below
femoral vessels called femoral
through obturator for. or
sciatic notch. Surgical Quail
may be large or small intestine
or omentum, or of both together
the peritoneum is never or
very rarely ruptured. If from
great pressure upon abd. musc.
will be rupture in weak-
est spot, Transversalis fascia
the inner layer of triangular
space or external ring
seven layers of fascia

Aorta nearly as high
as the sternum. There
are two innominate veins
not so with the arteries
intercostals about the
the first not join from
the aorta but a branch
of sub. pericardial mediastinal
esoph. bronchial
Pericardial, may be through
diaphragm coming beside the
femoral vessels called femoral
through ostium for, or
sciatic notch, Surgical Quat.
may be large or small intestine
or omentum, or of both together
the peritoneum is never
very rarely ruptured. If from
great pressure upon abd mass
will be rupture in weak-
est spot. Transversalis fascia
the under layer of triangular
space or external ring
seven layers of fascia

drawn up and you
will find tenderness in
one part, place May
develop well marked
tumors, little green
gall stones not beans
or orange suds

<u>Oblique</u>	<u>Direct</u>
Peritoneum	Peritoneum
Arcular	Arcular tissue
Infund	[Conjoined tendon fascia]
Cremaster	
Spermatic	Spermatic
Superficial	super
Skin	Skin

What the connection of
the canal of Nuck - with
congenital hernia,
Infantile may be in
old persons and of the
oblique form

Enterocoele
Epitroale

what sounds do you
get on percussion that
hernia is most serious
which contains most
intestine. The crural arch
or Poupart's lig the fascia
lata continuous

compared the I.
then put an ounce,
as before never forget
to have good bandage
around abdomen
tight - for pressure
& support majority
will get well if seen
in time

The Appendix subject to
catarrhal disease will
in healthy state never
get anything into it
but when diseased long
foreign bodies will get
in and most always
go out by perforation
thinks this generally the
cause of Per.
Pain, in right iliac
region and one leg

with saphenous vein runs
on outside fascia lata
fals refers to sickle shape
what the coverings of
lumbar hernia
rem Great importance
of flexing thigh, only
~~one~~ one way to cut
and not be in danger
of cutting artery that is
imposed in inguinal
always out inwards
Symph acute or chronic
in inflam, not appli
to relax, can do much
sometimes by position
by elevating hips and
raising knees can give
some opinion to belly
some bella has a
reputation, strong coffee
is said to have an
influence. Prosthesis
Arrang² try to restore

so that will not produce
cathartic effect You
must not give cathartics
You want to keep the
intestine quiet now
injections should
not be given Opium
the great sheet anchor
when has been sick
long & is weak I give
 $\frac{1}{2}$ — 2 gr, Apply hot
water, if does not
do can give 1 pt tur
pentine for how much
hot water 4 qts
 $\frac{1}{2}$ pt tur 1 pt castor oil
can use sweet
gustad blisters may
be useful very large

Should know the way
come down and
should be passed down
in opposite direction
If under Chloroform
will go quite easily
if at all will not
need to try more
than five minutes
if that will not do
must operate
Can easily see how
may be gone
can tell by odor &
color and not the
glistening on my look
dark & like chambré

generally immediate cause
of death gangrene
developed very rapidly comp
to a large burn

Pain Prostration Reaction
when gangrene comes then
pain stops sometimes
coffee ground vomiting

Great I'm strong person
bleeding can put out
just the same as in
pleurisy generally prostra
tion do can not bleed
from arm the great
remedy Opium I give
for effect - do not let
respiration run below
12 Does not think any
obj to giving cal with
but shall enough

Tracheotomy

Innominate artery sometimes
comes above the sternum
then there is an artery
Thyroidia ines. Then look
for any large superficial
veins there will be conges-
tion of veins also.
First with sharp knife make
good incisions then scratch
away with point of knife
Thyroid gland Several little
veins right over the trachea.
may find

then very soon much
pus thrown out, also
serum thrown out
Pain will be described
as wind in the bowels
the intestine moves worm-
like apt to get intang-
led in this lymph and
will hold intestine &
strangulate
Causes primary &
Secondary tubercular
deposit, from a severe
blow traumatic, from
being caught between
cars, parasites or worm
perforates very seldom
A terrific shock from
this dis may begin
at a single point
or at several

Then we infer that
the inflow is over
the bladder more tend
erness in right iliac
region circumscribed
may subside without
ex tending further or
may take very any
sort of pulse. Almost
never has any delirium
attitude will at once
attract your attention
because he has a very
tender abdomen
Breathes rapidly but
not deeply, very sensitive
to any jar or loud
talk very nervous state
Roughening tongue
& throwing out glances

In young people

Peritonitis

More apt at
what age, Acute &
chronic more apt in
hot than cold season
occurs in persons
who go in swimming
often has very little
premonition except a
little pain in bowels
lies upon back with
knees drawn up
vomits a green
matter. Bowels
constipated cannot
be moved by strong
cathartics sometimes
desire to urinate very
often

Much chewing tobacco
will hinder the action
of pancreas. So it is said
Iodoform is being used
for tuberculosis having effect
(in pills upon bacilli as an
antiseptic begins to think
much can be done by
this kind of treat,

Little one with swell-
ing in on back of neck
holds head with hand
so needs a support to
hold head up. Potts dis. of
cervical spine gets to
pick up something to see
what kind of movement he
would make

Rochelle salts to get
a thinner discharge
then try to allay irri-
tation by opium
Drinking Anti periodic
sustaining & antiseptic
5-10 grs in from
4-8 hr (sat-sol ep, salt
7-oz sulph acid, 1 oz
½ oz every two three
hr, phreac, is said
to be good 2 dr
East India remedy
1 tea spoon land
2 mustard plaster

Treat, of taken with
dys frequent desire to
go to stool simply put
to bed and not give
much to eat - 2 or 3 casts
10-15 grs. land with glyce,
keep warm, skin active
More Severe Case

Of so very much pain
and chilliness first, to
quiet & stimulate & get
febrile condition
Opium 1-2 grs or
starch & land, stimulate
10 grs Colomel as
the trouble comes
from liver with
opium to get diaphor
etic action
Next morning put on
saline bath,

billions these he calls
the worst in the
Autumnal dys, occas-
sionally they change
and discharge becomes
black almost like
tar these are far
and are what
supposed the green you
but if not of the ^{were} they
char, may be blood can
be told by pouring on
a little water, ~~plus~~
but change of
of ulceration is sign
had a sign not the
others if not of ferrous
dys, varies

But in the Abdominal
~~the~~ ^{the} ~~the~~ of the whole
intestine that is the
large, the large whole
drinking meat, then
ulcerations transverse
in direction
many times destroyed
epithel swept away,
ulcerations in all
portions, (gangrene)
rare for perforation to
occur but when does
generally in lower
part, if does perforate
with severe pain only
perforate in first stage
dies soon from the
shock wac, will smell
as like fresh beef this
the worst, it will
have such as are

Dysentery

Pain in the intestine
prevails in fall &
is dif from that at
other seasons.
The weather being,
frequent evac, with
more or less pain
and to some extent
mucous & straining
there are cases in
which no mucous
or straining but large
amnt of serous stool
are worse than
those of mucous &
blood sometimes
preceded by diarrhea
entirely dif from
dys the dif from
small the dys
from large intestine

Oils as injections will
not be very good
Narcotics Chlorin
chloral, Dings will
act, to a certain extent
Egot & Canaba, & strychn
digitatis sometimes with
canaba, chlorate of gold
& Sodium

$$\begin{array}{r} 20 \\ 20 \\ \hline 60 \end{array}$$

90

$$60/15 = 4$$

$$2 \frac{1}{2}$$

$$\begin{array}{r} 12 \overline{) 18} \\ \underline{12} \\ 6 \end{array}$$

100

J/90

very good in vaginitis
Nitric acid very seldom
Bromine is used in
cancer Chlorate of Lime
Alteratives trine Iodine
Church trine 25 grs & 15 grs
Iodide pot; to 60 Alcohol
& Car acid (1-4)
diluted with Alcohol
may be made into
intense Iodoform
very glyt water and
apply with cotton
Iodide lead, blisters
Glycerine will draw
water if soak cotton
and ~~take~~ put in
vase will reduce erysipel
and produce watery
discharge

What can we apply
tannin Alum per Sulph
ate of iron, can use
on pieces of cotton com-
mon, roll & put string
Alum $\frac{1}{2}$ oz by ^{dr.} 2 dr alum
3 oz & half of glycerine
till will have profuse
watery discharge, the
patient can apply herself
tampon, every day
or twice a day
very often used with
hot water, these act-
are very good,
Caustics Nitric acid
Carbolic & actual
canter. Nitrate Silver
can be used in
sol 5-60 grs to oz

from 15 min - $\frac{1}{2}$ hr,
and persevered with a
month is not long for
or three yrs may be re-
quired, syring. a bail
with rubber tube and
be sure I have nozzle
of hard rubber. can
put bail on table
these are very good also
in cellulitis & peritonitis
~~of~~ This may not be
the remedy for some
persons, can paint the
cervix with almost any
thing with acid will
be very careful not
to touch the vulva

give some mild
cathartic keep quiet
during menstrual period
corsets do much harm
the bone in front
sticks right into abdo-
men, can wear a cord
ed waist - saline waters
for constipation

If could have only
one treatment would
use hot water. Pas, has
much to do when taking
inject - if on back with
hips somewhat elevated
can not run out - till
has reached outlet of
apex of this of utmost
importance another
is the heat should be
very hot - from 110 - 120
the vagina is not sensitive
it is only when and
should be long continued

Stomach
Secretion

Osmosis Absorption
reaction in what
minute part.

if three or four hours
sleep during first 12 or
18 hrs we think good
average Beef Tea

Scatter your seeds

your seeds